kreussler
TEXTILE CARE

Lanadol ABAC

Disinfectant* for sensitive textiles, gas masks and rinsing zone disinfection.

Characteristics

- Lanadol ABAC is suited for the disinfection of delicate textiles that cannot be treated with conventional disinfection procedures (e.g. peracetic acid)
- Lanadol ABAC can be used for the disinfection of the rinsing zone and press of continuous batch washers
- Lanadol ABAC has a broad microbicidal spectrum of activity against Gram-positive and Gram-negative bacteria and yeasts
- DIN EN 1276 (bactericidal), DIN EN 1650 (levurocidal), DIN EN 14476 (2013 + A2:2019) (virucidal against murine norovirus and virucidal against enveloped viruses such as coronavirus SARS CoV-2 and vaccinia Ankara)
- Lanadol ABAC has good wetting properties, is resistant to hard water and gives textiles antistatic properties as well as having a slight retexturing effect
- Lanadol ABAC can be used in combination with Lanadol APRET
- Lanadol ABAC is also suited for washing procedures with other Kreussler gentle and colour wash processes

Application

For washable textiles 20–30 °C (68 – 86 °F)

Recommended concentration: 0.2 – 2.5 g Lanadol ABAC per litre (0.51ozfl/gal) of liquor

All the details given are correct to the best of our knowledge. They must be adjusted to suit operating conditions. We accept no liability in respect of this information.

Chemische Fabrik Kreussler + Co GmbH, Postfach 12 04 54, D-65082 Wiesbaden, Tel. +49 (0) 611 9271-0, Fax +49 (0) 611 9271-111
www.kreussler-chemie.com, www.kreussler.com, mailto: info@kreussler.com
LANADOL ABAC TM GB USA 09/24

Listings and norms*

Yeasticidal properties according to

DIN EN 1650: 5 min | 20 °C (68 °F) | dosage 0.2 g/l

Bactericidal properties according to

DIN EN 1276: 5 min | 20 °C (68 °F) | dosage 0.2 g/l

Virucidal properties according to

DIN EN 14476:
Murine norovirus (MNV): 15 min | 30 °C (86 °F) | 2.5 g/l

*** Only notified as biocide in following countries: Germany (N-114208), Austria (notified), Switzerland (CHZN 4704), France (no. 83202)**

Use biocides safely. Always read the label and product information before use.

Use and Storage

In closed containers, Lanadol ABAC has a minimum shelf life of 24 months.

After exposure to frost, allow Lanadol ABAC to warm up to a temperature of approx. 15 °C (59 °F) before use.

Expiration date: 24 months after date of manufacture.

All the details given are correct to the best of our knowledge. They must be adjusted to suit operating conditions. We accept no liability in respect of this information.

Chemische Fabrik Kreussler + Co GmbH, Postfach 12 04 54, D-65082 Wiesbaden, Tel. +49 (0) 611 9271-0, Fax +49 (0) 611 9271-111
www.kreussler-chemie.com, www.kreussler.com, mailto: info@kreussler.com